

Specifications

Material

- » Laminated impact acrylic

Thickness 2-ply

- » 1/16" (1.6mm) Use 322 as first digits in item code.
- » 1/8" (3.2mm) Use 342 as first digits in item code. (Gauges are approximate.)

Finish

- » Matte non-glare

Thickness 3-ply

- » 1/16" (1.6mm) Use 323 as first digits in item code.
- » 1/8" (3.2mm) Use 343 as first digits in item code. (Gauges are approximate.)

Sheet Size

- » 24" x 48 3/4" (610 x 1238mm)

Usage

- » Interior signage
- » Exterior signage
- » Personal identification
- » ADA compliant (for tactile signage applications)

Engraving Method

- » Rotating carbide

Engraving Depth

- » .012" (.30mm)

Fabrication

- » Saws
- » Drills
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds
- » Braille-engrivable
- » UV stable
- » Outdoor weatherable

Visit www.rowmark.com for Rowmark's complete line of products for rotary engraving, laser engraving and sublimation.

Find answers to all your questions in the Technical Help section. Be sure to check out support tools under the Sales Tools and Downloads sections.

To request a sample or promotional literature, please call 1-877-ROWMARK (419-429-3160) or email samples@rowmark.com. For technical assistance, call 1-877-ROWMARK (419-429-3160), visit www.rowmark.com or email inquiries@rowmark.com.

Can't find exactly what you're looking for? We can build any combination of cap and core within the Ultra-Mattes Front Engravable product line. Contact your authorized Rowmark distributor or speak with one of our customer service specialists at 1-800-243-3339 (419-425-2407).



Ultra-Mattes

Front Engravable



rowmark.com / 1.877 ROWMARK / samples@rowmark.com




Ultra-Mattes Front Engravable Sign Kit

Fabricate the Ultra-Mattes Front Engravable Sign Kit by downloading the file found under the downloads section of our website at www.rowmark.com.

Ultra-Mattes

Front Engravable


Non-glare, easy to read and pleasing to the eye. Its durable matte finish is fingerprint resistant, making it ideal for high-traffic environments. Ultra-Mattes are UV stable, outdoor weatherable and ideal for ADA compliant signage.




3XX-602 Red/White
3XX-607 Red/Yellow
3XX-662 Dusty Rose/White
3XX-632 Ruby/White
3XX-642 Garnet/Ash
3XX-862 Canyon/Ash




3XX-823 Canyon/Cement
3XX-704 Yellow/Black
3XX-794 Safety Yellow/Black
3XX-932 Bright Green/White
3XX-972 Celadon Green/White
3XX-992 Hunter Green/White
3XX-997 Hunter Green/Gold
3XX-902 Black Forest Green/White
3XX-312 Sea Grey/White
3XX-942 Balsam/Ash



3XX-962 Teal/White
3XX-592 Ocean Blue/White
3XX-512 Blue/White
3XX-517 Blue/Yellow
3XX-562 Sapphire/White
3XX-527 Blueberry/Gold
3XX-542 Blueberry/White
3XX-382 China Blue/White
3XX-246 Ash/Garnet
3XX-244 Ash/Cinder



3XX-218 Sandalwood/Canyon
3XX-219 Sandalwood/Balsam
3XX-814 Parchment/Black
3XX-228 Ivory/Dark Brown
3XX-832 Beige/White
3XX-838 Beige/Dark Brown
3XX-802 Taupe/White
3XX-595 Driftwood/Alpine
3XX-206 White/Red
3XX-205 White/Blue



3XX-204 White/Black
3XX-217 White/Gold
3XX-236 Cement/Garnet
3XX-238 Cement/Canyon
3XX-392 Graphite/White
3XX-413 Cinder/Clay
3XX-432 Cinder/White



3XX-302 Charcoal Grey/White
3XX-842 Dark Brown/White
3XX-423 Black/Silver
3XX-402 Black/White
3XX-407 Black/Yellow
3XX-417 Black/Gold
3XX-774 Vintage Gold/Black
3XX-384 Vintage Silver/Black



CSI Manufacturing Limited

Unit 5 Millers Court, Windmill Road,
Kenn Business Park, Clevedon BS21 6UL
Tel: 0117 911 4367 Email: info@csionline.co.uk

CSI Manufacturing Limited

Unit 5 Redcow Interchange Estate, Turnpike Road,
Ballymount, Dublin 22
Tel: 01 4641488 Email: info@csionline.ie